

INDEX MAPS.

T.20N. R.13E. 2nd Mer.

	70		70		70		69		69		69	
72	6	93	5	86	4	87	3	80	2	76	1	68
	93		93		88	87	83		79		76	
72	7	92	8	87	9	86	10	79	11	75	12	68
	92		92		86	86	83		79		75	
72	18	91	17	85	16		15	78	14	75	13	68
	91		91		85	82	82		78		74	
71	19	90	20	85	21	82	22	78	23	74	24	67
	90		90		84	81	81		77		74	
71	30	89	29	84	28	81	27	77	26	73	25	67
	89		89		84	81	80		76		73	
71	31	88	32	84	33	80	34	76	35	73	36	67
	66		66		65		65		65		65	

T.21N. R.13E. 2nd Mer.

	102	102	102	102	101	101						
105	6	130	5	124	4	119	3	116	2	115	1	100
	130		129		123		118		115		114	110
104	7	129	8	123	9	118	10	115	11		12	100
	129		128		122		117		113	110		107
104	18	128	17	122	16	117	15	113	14	107	13	100
	127		127		122		117		113	109		107
104	19	126	20	121	21	116	22		23	106	24	100
	126		126		121		112	109		109		106
103	30	125	29	120	28	111	27	108	26	106	25	99
	125		124		120		111	109		108		105
103	31	124	32	119	33	111	34	107	35	105	36	99
	98		98		98		97	97		97		97

The figures on the lines refer to the page.

65

Township 20 North, Range 13 East, 2nd Mer. Sec. 36.

ch. 1st South Boundary. Var. mm

West On S. side of sec. 36.
 28.70 a Sugar 15 in. dia.
 40.00 Set gr. sec. post. fr. which
 an Elm 60 in. dia. bears N 45 W, 3 1/2 M. &
 a Beech 8 in. dia. " N 45 E, 19 " dist.
 47.00 a Brook 5 M. wide c. N.
 62.00 a Do. 5 " " c. N.
 80.00 Set post cor. to sec. 35 & 36, fr. wh.
 a wh. Oak 18 in. dia. bears S 52 E, 14 M. dist.
 an Elm 18 " " " N 85 W, 13 " "
 Land, level, Beech Land.

West On S. side of sec. 35.
 33.00 a Beech 14 in. diam.
 40.00 Set gr. sec. post. from which
 a Beech 12 in. dia. bears S 38 E, 25 M. dist.
 & a Do. 10 " " " N 56 W, 40 " "
 71.50 a Sugar 16 " " (level Beech land.)
 80.00 Set post cor. to sec. 34 & 35, fr. wh.
 a Beech 12 in. dia. bears S 39 E, 7 M. dist. &
 a Sugar 10 " " " N 61 W, 30 " "

West On S. side of sec. 34.
 26.80 a Sugar 24 in. diam.
 40.00 Set gr. sec. post. from which
 a Sugar 20 in. diam. bears S 66 E, 26 M. &
 a Beech 20 " " " N 66 W, 13 " dist.
 62.50 a Sugar 20 " "
 80.00 Set post cor. to sec. 33 & 34, fr. wh.
 a Beech 24 in. diam. bears N 49 E, 6 M. dist.
 a Do. 15 " " " S 65 W, 50 " "
 Level Beech land.

West On S. side of sec. 33.

66 S. 28 N. R. 13 E. 2nd Mer. Ind. a

Ch. No.

17.00 a Brook 10 ft. wide e. N. W.
40.00 Set op. sec. post, from which
a Beech 16 in. dia. bears South, 12 ft. dist.
a Dogwood 6 " " " N 41 W. 13 " "
60.00 Intersect Indian Boundary. — from
mile post & set post, fr. wh.
a Beech 15 in. dia. bears N 70 E. 20 ft. dist.
a Dogwood 5 " " " N 43 W. 14 " dist.
Land, level. Lim. Beech.
Surveyed in 1810.

By A. Holmes, Dep. Sur.

West On E. side of sec. 33. Cont. fr. Bdy.
22.50 Set post cor. of sec. 32 & 33, fr. wh.
an Oak 12 in. dia. bears N 66 E. 29 ft. dist.
an Ash 10 " " " N 87 W. 22 " "

West On E. side of sec. 32.

22.30 a Beech 20 in. diam.
27.00 a Brook 8 ft. wide e. N.
40.00 Set op. sec. post, fr. which
an Ash 8 in. dia. bears N 34 E. 14 ft. dist. &
a Hornbeam 4 in. dia. br. S 20 E. 28 " "
54.58 an Oak 36 in. diam.
71.00 a Creek 50 ft. wide e. N. W.
80.00 Set post cor. to sec. 31 & 32, fr. wh.
a Sugar 14 in. dia. br. N 80 W. 29 ft. dist.
a Do. 20 " " " S 57 E. 10 " "
Land, level Lim. Beech, Oak,

West On E. side of sec. 31.

5.12 a Beech 22 in. diam.
37.00 a Brook 4 ft. wide e. N.
40.00 Set op. sec. post, from which
an Ash 18 in. diam. N 41 E. 21 ft. dist. &
a Buckeye 14 in. br. bears S 60 W. 13 " "

T. DON. Sec. 13 E. 2nd Mer. Ind. 67
Ch. 1/4

72.53 Intersect the Range line Betⁿ R.
12 & 13 East at the Cor. of Towns 19 &
20 North, Ranges 12 & 13 E.
Over good farming land. Timb:
Beech, Sugar, Ash, &c.
Nov. 13th 1819.
Surveyed by James M. McDonald
Dep. Sur.

East Boundary.
Mer. —

North on E. side of Sec. 36.

23.00 an Elm 30 in. diam.

40.00 set op. sec. post, fr. wh.
a Beech 20 in. dia. bears S 50° W. 13 Ch. dist.
an Ash 25 " " " N 60 E. 8 " "

80.00 set post Cor. to sec. 25 & 36, fr. wh.
a Beech 16 in. diam. bears N 24° W. 24 Ch.
an Ash 12 " " " S 4 E. 61 Ch. dist.
Land, level. Beech.

North on E. side of Sec. 25.

24.50 an Elm 24 in. diam.

40.00 set op. sec. post, from which
a Beech 18 in. dia. bears S 54 E. 57 Ch. dist.
a Hickory 16 " " " N 74 W. 50 " "

80.00 set post Cor. to sec. 24 & 25, fr. wh.
a Sugar 18 in. diam. bears S 74 E. 24 Ch.
a Do. 16 " " " N 79 W. 23 " dist.
Land level, Timb. Beech.

North on E. side of Sec. 24.

12.00 a Brook 3 Ch. wide e. n.

35.50 an Ash 30 in. diam.

Land, level and Rich. Timber,
Hickory, Ash, Sugar & Beech &c.

T. 20 N. R. 13 E. 2nd Mer. Ind?

Ch. M.

- 40.00 set gr. sec. post, from which
a Hickory 18 in. dia. bears S 17 E. 9 M. dist.
an Ash 5 " " " North 13 " "
- 41.75 a Beech 18 " "
- 80.00 set post cor. to sec. 13 & 24, fr. wh.
an Ash 18 in. diam. bears S 16 E. 31 M. dist.
a Beech 18 " " " N 4 W. 22 " "
Level, as before described.

North on E. side of sec. 13.

- 16.00 a Brook 50 M. wide e. W.
- 40.00 set gr. sec. post, from which
a Sugar 18 in. dia. bears S 2 E. 28 M. dist. &
a Do. 20 " " " N 36 W. 35 " "
- 45.00 a Brook 3 M. wide e. S. E. (Nov. 28. 1810.)
- 80.00 set post cor. to sec. 12 & 13, fr. wh.
a Beech 18 in. diam. bears S 81 E. 9 M. dist.
a Sugar 15 " " " N 51 W. 5 " dist.
Level, Beech land.

North on E. side of sec. 12.

- 40.00 set gr. post, from which
a Beech 8 in. diam. bears S 11 E. 13 M. dist.
a Do. 16 " " " N 8 E. 25 " "
- 50.00 small swamp
- 80.00 set post cor. to sec. 1 & 12, fr. wh.
an Ash 36 in. dia. bears S 65 W. 18 M. dist. &
a Beech 16 " " " S 69 E. 35 " "
Level, Beech land.

North on E. side of sec. 1.

- 40.00 set gr. sec. post, from which
a Beech 10 in. dia. bears S 20 E. 26 M. dist. &
a Do. 8 " " " N 59 E. 13 " "
- 65.00 a Do. 12 " "
- 80.00 set post cor. to Towns 20 & 21 North

S 20 N. N. 13 E. 2nd Mer. Ind. 69

Ch. M. Ranges 13 & 14 East. from which
a Hickory 16 in. dia. bears S 57 N. 27 W. dist
& a Beech 18 " " " S 71 E. 15 " "
Land, level. Timber: Beech.
Surveyed in 1810.
By A. Holmes, Dep. Sur.

North Boundary.

Var. ---

Nov. 29th 1810.

West On S. side of sec. 36. T. 21 N. 16. 13 E.
29.50 a Beech 16 in. diam.
40.00 set op. sec. post, from which
a Beech 10 in. dia. bears S 23 E. 22 W. dist.
a Do. 16 " " " S 83 W. 26 " "
50.00 Enter small swamp
80.00 set post cor. of sec. 35 & 36, fr. wh.
a Beech 8 in. dia. bears N 37 W. 15 W. dist.
an Elm 8 " " " S 83 E. 27 " "
Land level. Timber: Beech.

West On S. side of sec. 35. T. 21 N. 16. 13 E.
30.00 a Brook 2 W. wide c. N.
40.00 set op. sec. post, from which
a Beech 10 in. diam. bears N 67 E. 18 W. dist.
& a Do. 24 " " " S 75 W. 14 " "
63.50 a Brook 20 W. wide c. N.
80.00 Set post cor. to sec. 34 & 35, fr. wh.
an Ash 12 in. dia. bears N 34 E. 15 W. dist.
a Wh. Oak 30 in. " " S 8 W. 25 " "
Land, same as last mile.

West On S. side of sec. 34. T. 21 N. 16. 13 E.
5.50 a Brook 3 W. wide c. N.
38.75 Intersect Ind. Bdy. 15 W. from mile
post & set post, from which

70 T. 20 N. R. 13 E. 2nd Mer. Ind.
 cr. 1810

an Ash 8 in. dia. bears N 82 E, 16 lb. dist.
 & a Beech 18 " " " 8 W, 26 " "
 Land, level. Timber, Beech.
 Surveyed in 1810. A. Holmes, D.S.

Van. C. & D. E.

West On S. side of sec. 33. T. 21 N. R. 13 E.

1.50 West of the Boundary line (fr. Body)
 set 1/4 sec. post, from which
 a Beech 18. 140 W, 29, & a Do. 12. 180 E, 19 lb.

34.90 a Beech 18 in. diam.

41.50 Set post for cor. of sec. 33 & 34, fr. wh.
 a Beech 9 in. dia. bears N 28 W, 11 lb. dist. &
 a = 18 " " " 18 E, 17 " "

West On S. side of sec. 33. T. 21 N. R. 13 E.

34.05 a Hickory 24 in. dia.

40.00 Set q. sec. post, from which
 a Roundbeam 6, West, 11 lb. & a Beech 18. N 41 E, 24 lb.

45.16 a Hickory 18 in. diam.

50.00 a Branch 5 lb. wide e. N. W.

80.00 Set post cor. of sec. 32 & 33, fr. wh.
 a Beech 10. N 32 W, 30 lb. & a Do. 8 1/2 E, = lb. dist.
 2nd rate land. Beech, Ash, Hickory &c.

West On S. side of sec. 32. T. 21 N. R. 13 E.

7.00 a Branch 5 lb. wide N. W. at 16.03 a Hickory 18 in.

40.00 Set q. post, fr. wh. a h. Oak 18 in. dia. N 68 W, 7 lb. dist.
 & a Hickory 20 " " N 76 E, 9 " "

59.45 a Beech 18 in. diam. (Land, as above)

80.00 Set post cor. to sec. 31 & 32, fr. wh. a Sugar
 20 in. dia. br. N 18 E, 34 lb. & a Beech 20 in. dia. S 34 W, 30 lb.

West On S. side of sec. 31. T. 21 N. R. 13 E.

27.40 a Hickory 20 in. diam.

40.00 Set q. sec. post, fr. wh. an Ash 9 in. dia. br.
 N 33 E, 9 lb. & a Hickory 10 in. dia. N 7 W, 33 lb. dist.

50.40 a h. Oak 36 in. dia. 61.00 a Branch 6 lb. e. N. W.

71

S. 20 N. 13 E. 2nd Mer. Ind. a

* a Beech 18. 248 E. 3 W. Sugar 8 N 72 W. 32 W. dit.

73.13 To Range line 615 W. S. of Temp. Town Cor &
 set post Cor. of S. 20 & 21 N. 12 & 13 E. fr. wh.
 Surveyed in 1819. By John M. Donald D.S.

West Boundary.

Var. 6° 10' E.

North On E. side of sec. 36. S. 20 N. 16 E.

24.50 a creek 50 W. wide c. N. W.

28.20 a Sycamore 40 in. diam.

40.00 set gr. sec. post, from which
 a Beech 20 in. dia. bears S 7 E. 27 W. dit.
 a Do. 24 " " " N 72 W. 13 " "

52.41 an Ash 14 " "

80.00 Set post Cor. to sec. 25 & 26 fr. wh.
 an Oak 30 in. dia. bears N 13 E. 15 W. dit.
 a Hornbeam 8 in. " " S 24 E. 24 " "
 Over good farming land. Timber
 Beech, Ash, Sugar &c.

North On E. side of sec. 25. S. 20 N. 16 E.

23.55 a Sugar 18 in. diam.

35.00 a brook 8 W. wide c. W.

40.00 set gr. sec. post, from which
 a Beech 10 in. dia. bears S 35 E. 24 W. dit.
 a Do. 8 " " " S 21 W. 17 " "

68.94 a Do. 20 " "

80.00 Set post Cor. of sec. 24 & 25, fr. wh.
 an Oak 20 in. diam. bears S 36 W. 30 W. dit.
 a Beech 13 " " " N 55 E. 13 " "
 Land and Timber as before.

North On E. side of sec. 24. S. 20 N. 16 E.

35.00 a creek 100 W. wide c. W.

40.00 set gr. sec. post, from which
 an Elm 30 in. dia. bears N 4 W. 32 W. dit.
 a Buckeye " " " N 2 E. 18 " "

48.48 a Sugar 12 " "

72 T. 20 N. R. 13 E. 2nd Mer. Ind.?

ch. 2nd
80.00 Set post cor. of sec. 13 & 24, fr. which
a Beech 18 in. dia. bears S 25th W. 18 lb. dist.
an Ironwood 8 in. dia. br. N 22 E. 5 lb. "
Land & Timber: as before.

North On E. side of sec. 13. T. 20 N. R. 12 E.
18.42 a Hickory 18 in. diam.
40.00 Set gr. sec. post, from which
a Beech 18 in. dia. bears S 48th W. 9 lb. dist. &
a Do. 18 " " " N 24 E. 12 " "
63.44 a Hickory 24 in. diam.
80.00 Set post cor. of sec. 12 & 13, fr. wh.
a Beech 12 in. dia. br. S 12th W. 32 lb. dist. &
a Locust 12 " " " N 52 E. 7 " "
Land level Tim. Beech, Hickory
&c.

North On E. side of sec. 12. T. 20 N. R. 12 E.
22.95 a Beech 12 in. diam.
40.00 Set gr. sec. post, from which
a Beech 24 in. diam. bears S 74 E. 17 lb. &
a Do. 15 " " " N 23th W. 20 " dist.
49.93 a Sugar 14 " " "
80.00 Set post cor. of sec. 1 & 12, fr. wh.
an Elm 12 in. dia. bears S 7th W. 37 lb. dist.
& a Hickory 18 " " " N 7th W. 33 " "
Land & Timber same.

North On E. side of sec. 1. T. 20 N. R. 12 E.
14.32 an Oak 36 in. diam.
40.00 Set gr. sec. post, from which
a Hickory 12 in. dia. bears S 15 E. 10 lb. dist.
an Oak 12 " " " N 43th W. 23 " "
78.85 an Elm 13 " " "
73.85 Low on bar. Land &c. the same
Nov. 15th 1819.
Surveyed By James H. Mc. Donald, S.

73

S.D.N. N. 13 E. 2nd Men. Ind.^a
Ch. 9/16
Not

Subdivisions.

Var. ---

North Between sec. 35 & 36.

4.23 a Hickory 24 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 20 in. dia. bears N 40 E. 8 M. dist.
a Hickory 18 " " " N 47 E. 17 " "

45.33 a Beech 24 " "

78.50 a Branch 20 in. wide C. W.

77.50 Swamp to the West.

80.00 Set post cor. to sec. 26, 25, 35 & 36,
in a swamp. Lim. Beech, Ash,
Cedar, Poplar & Oak.

East On Maudown Betⁿ sec. 25 & 36.

2.50 Swamp

40.00 Set temporary gr. sec. post.

80.14 Intersect 20 M. E. of post (N & S line)
Land Lumbered with Beech, Ash,
Sugar, Oak &c.

West Correct line Betⁿ sec. 25 & 36.

40.07 Set gr. Sec. post. from which
a Beech 14 in. dia. bears N 39 E. 22 M. dist.

& a Do. 14 " " " N 64 W. 45 " "

80.14 Sec. cor.

North Between Sec. 25 & 26. 11.00 sup.

25.20 a Beech 30 in. dia

40.00 Set gr. Sec. post, fr. wh.

a Beech 18 in. dia. bears N 76 W. 24 M. dist.

a wh. Oak 23 " " " N 17 E. 63 " "

66.10 a Beech 20 " "

80.00 Set post cor. to sec. 23, 24, 25 & 26,
a Sugar 16 in. dia. bears N 44 W. 13 M. dist.
& a Beech 18 " " " N 6 E. 27 " "

T. D. N. R. 13 & 2nd Mer. Ind. a

Ch. H. Beech, Sugar Ash, Oak & Hickory.

East On Random Bet^h sec. 24 & 25.

11.50 a Drain C. N.

40.00 set temporary post.

60.50 a Drain C. N.

79.60 Intersect E. line 20 Ch. S. of post.
Thin. Beech, Sugar, Ash, Hickory &
Oak.

West Correct line Bet^h sec. 24 & 25.

39.80 set gr. sec. post, from which
a Beech 10 in dia. bears N 80° W. 13 Ch. dist. &
a Do. 12 " " " N 6 E. 21 " "

79.60 Sec. cor. July 14th 1811.

North Between sec. 23 & 24.

30.20 a Sugar 20 in. diam.

40.00 set gr. sec. post, fr. which
a Beech 10 in. dia. bears N 5 E. 14 Ch. &
a Do. 12 " " " N 70° W. 23 " dist.

42.80 a Sugar 20 in. diam.

66.00 a Branch 10 Ch. wide C. N. W.

80.00 set post for cor. of sec. 13, 14, 23 & 24,
a Bl. Oak - in. diam. N 6° W. 7 Ch. dist. &
a Beech 30 in. dia. bears N 35° W. 57 " "
Thin. Beech, Sugar &c.

East On Random Bet^h sec. 13 & 24.

28.20 a Spring Branch C. N.

40.00 set temporary post.

56.50 a Spring C. N. & N.

58.00 a Do Branch

80.00 Intersect N. & S. line at post.

West Correct line Bet^h sec. 13 & 24.

40.00 set gr. sec. post, from which

75

T 20 N. R. 13 E. 2nd Mer. Ind. a

Ch. H.

a Beech 16 in. dia. bears N 33 E. 18 W. dist. &
 a Do. 20 " " " N 48 W. 26 " "
 80.00 Sec. loc.

North Between Sec. 13 & 14.

8.00 a Branch 100 W. wide c. W.

10.67 a Bl. Ash 20 in. diam.

40.00 Set gr. sec. post, from which
 a Beech 24 in. dia. bears N 40 E. 6 W. dist. &
 a W. Ash 12 " " " N 75 W. 19 " "

80.00 Set post cor. to Sec. 11, 12, 13 & 14, fr.
 an Elm 13 in. dia. bears N 79 E. 17 W. dist.
 a Beech 18 " " " N 45 W. 37 " "
 Lin. Beech, Ash, Oak, Hickory.

East Between Sec. 12 & 13. on Random

40.00 Set temporary post.

80.00 Intersect E. bdy. at post.
 Lin. Beech, Sugar, Ash & Oak.

West Correct line betⁿ Sec. 12 & 13.

40.00 Set gr. sec. post, from wh.
 a Beech 8 in. dia. bears N 9 E. 12 W. dist. &
 a Do. 12 " " " N 45 W. 10 " "

80.00 Sec. loc.

North Between Sec. 11 & 12.

19.90 a Bl. Ash 38 in. dia.

40.00 Set gr. sec. post, fr. which
 a Beech 18 in. dia. bears N 43 W. 5 W. dist.
 a Do. 20 " " " N 51 E. 37 " "

60.30 a Grh. Oak 23 in. diam.

80.00 Set post cor. to Sec. 11, 12, 11 & 12, fr. wh.
 a Grh. Oak 30 in. dia. bears N 37 E. 14 W. dist.
 a Hickory 18 " " " N 31 E. 39 " "
 Lin. Beech, Oak, Ash, & Hickory &c.

76 S.D.N. No. 13 E. 2nd Mer. Ind. a

Ch. No.

East On Random Bet^h Sect. 1 & 12.

13.50 a Pond 10.50.

40.00 set temp. gr. sec. port.

79.20 Intersect E. line 80 Ch. S. of port.
Thin Beech, Ash, Oak & Hickory.

West Correct line Bet^h Sect. 1 & 12.

39.60 set gr. sec. port, from which
a Beech 34 in. dia. (b.s. 156 E. 15 Ch. dist.
a Sugar 21 " " " 158 E. 32 " "

79.20 Sec. cor.

North Between Sect. 1 & 2.

40.00 set gr. sec. port, from which
a Hickory 18 in. dia. (b.s. 157 E. 11 Ch. dist.
a Do. 31 " " " 158 E. 37 " "

47.80 a Beech 25 " "

62.00 a Branch c. W.

79.00 Intersect N. Body. 7 Ch. E. of pond &
set port cor. to sect. 1 & 2, fr. wh.
an Elm 6 in. dia. (b.s. 187 E. 21 Ch. dist.
a Beech 10 " " " 188 W. 33 " "
Thin. Beech, Ash, Oak & Hickory.

North Between Sect. 34 & 35.

17.35 a Beech 20 in. diam.

40.00 set gr. sec. port, from which
a Beech 14 in. dia. (b.s. 142 E. 4 Ch. dist. &
a Sugar 22 " " " N. 22 " "

46.65 a Do. 24 " "

80.00 set port cor. to sect. 26, 27, 34 & 35, fr. wh.
a Beech 18 in. dia. (b.s. 125 E. 27 Ch. dist.
a Sugar 18 in. dia. " 125 W. 20 " "
Thin. Beech, Ash, Sugar &c.

East On Random Bet^h Sect. 26 & 35.

S. 20 N. 86. 13 E. 2nd Mer. Ind. 77

Ch. M.

- 24.00 a Drain Course N.
40.00 a tempy. gr. sec. post.
41.50 a Branch 25 lb. wide e. N. W.
45.50 a Drain e. N.
75.00 a swamp to post.
80.00 Intersect the N. & S. line 40 lb. S. of post
Land, ~~unmarked~~
-

- West Correct line BET^h Sec. 26 & 35.
40.00 set gr. sec. post, from which
a Sugar 10 in. dia. bears N 40 E. 16 lb. dist
& a Do. 16 " " " S 89 W. 22 " "
80.00 Sec. loc.
-

- North Between Sec. 26 & 27.
6.30 an Ash 30 in. diam.
16.00 a Branch 30 lb. wide W.
40.00 set gr. sec. post, from which
a Beech 30 in. dia. bears N 68 W. 13 lb. dist.
a Sugar 12 " " " N 12 E. 28 " "
68.50 a Drain e. W.
80.00 set post loc. to sec. 22, 23, 26 & 27,
a Beech 18 in. diam. bears N 41 W. 7 lb. dist.
a Do. 12 " " " N 47 E. 6 " "
Sim. Beech, Sugar, Ash &
Oak. &c.
-

- East An Random BET^h Sec. 23 & 26.
40.00 set tempy gr. sec. post.
79.71 Intersect E. bdy. 30 lb. N. of post.
Sim. Beech Ash. Sugar & Oak.
-

- West Correct line BET^h Sec. 23 & 26.
39.85 set gr. sec. post, from which
a Beech 22 in. dia. bears N 16 W. 8 lb. dist. &
a Do. 21 " " " S 68 E. 26 " "

T. 20 N. R. 13 E. 2nd Mer. Ind. a

C. L.

79.70 sec. cor.

North Between Sec. 22 & 23.

25.30 a Branch Course W.

35.20 a Beech 22 in. diam.

40.00 set gr. sec. post, from which
an Elm 10 in. dia. bears S 22 E. 8 lb. dist.
a Beech 8 " " " N 23 E. 17 " "

67.50 a Creek 100 lb. wide c. W.

80.00 set post cor. to sec. 14, 15, 22 & 23, fr. wh.
a Beech 18 in. dia. bears S 41 W. 4 lb. X
a do. 18 " " " N 75 E. 28 " dist.
Land, ~~~~~

East An Yarnum between Sec. 14 & 23.

10.50 a Creek 100 lb. wide c. S. W.

40.00 set temp. gr. sec. post.

52.20 a Branch 20 lb. wide c. N.

80.00 Intersect N. & S. line at post.

Timb. Elm, Beech, Ash, Walnut &
Land same Bottom.

West Correct line between Sec. 14 & 23.

40.00 set gr. sec. post, from which
an Ash 22 in. dia. bears N 3 E. 13 lb. dist.
an Elm 14 " " " S 18 E. 22 " "

80.00 sec. cor.

North Between Sec. 14 & 15.

3.05 a Beech 20 in. diam.

40.00 set gr. sec. post, from which
a Beech 11 in. dia. bears N 41 E. 13 lb. dist.
a Hickory 19 " " " S 35 E. 15 " "

48.00 a G. Oak 25 " "

80.00 set post cor. to sec. 11, 14, 14 & 15, fr. wh.
a Hickory 21 in. dia. bears N 88 E. 25 lb. dist.

79

S.D.N. No. 13 E. 2nd Mer. Ind.^a
Ch. M.

a Beech 17 in. dia. bears N 87 W. 13 W. dist.
Timber, Beech, Ash, Oak & Hickory.

East. On random between sec. 11 & 14.

40.00 set temporary gr. sec. post.

80.50 Intersect N. & S. line 27 W. N. of post.
Tim. Beech, Ash, Hickory &c.

West correct line between sec. 11 & 14.

40.25 set gr. sec. post, from which

a Bl. Oak 19 in. dia. bears N 35 E. 13 W. dist.

a Hickory 10 " " " N 19 E. 15 " "

80.50 sec. cor.

North Between sec. 11 & 11.

40.00 set gr. sec. post, from which

a Hickory 30 in. dia. bears N 85 W. 21 W.

a Beech 16 " " " N 12 W. 25 " dist.

61.26 a Hickory 24 " "

80.00 set post cor. to sec. 2, 3, 10 & 11, from wh.

a Beech 10 in. dia. bears N 31 E. 12 W. dist.

an Ash 8 " " " N 87 W. 20 " "

Timber, Beech, Ash, Oak & Hickory &c.

East. On Random between sec. 2 & 11.

40.00 set temporary gr. sec. post.

80.00 Intersect N. & S. line at post.

Tim. Beech, Ash, Oak, Hickory &c.

July 5th. 1811.

West correct line bet^h sec. 2 & 11.

40.00 set gr. sec. post, from which

an Elm 26 in. diam. bears S 4 W. 26 W. &

a Beech 10 " " " N 26 W. 8 " dist

80.00 sec. cor.

80 S. D. N. R. 13 E. 2nd Mer. Ind.

Ch. 1/2

North Between sections 2 & 3.

18.60 a Beech 19 in. diam.

40.00 Set gr. sec. post, from which
an Elm 18 in. dia. bears S 51 E. 24 lb. dist.
an Elm 21 " " " S 84 W. 25 " dist.

60.30 a Wh. Oak 18 in. diam.

76.25 Intersect N. Bdy. 90 lb. E. of post. &
set post cor. to sec. 2 & 3, from which
a Beech 31 in. dia. bears S 38 E. 36 lb. dist.
a Wh. Oak 22 " " " S 13 W. 32 " "
Sim. B. Oak, Beech, Ash & Hickory.

North Between sections 33 & 34.

6.85 a Beech 22 in. diam.

40.00 Set gr. sec. post, from which
a Beech 12 in. dia. bears S 89 E. 7 lb. dist.
a Sugar 18 " " " S 76 W. 33 " "

55.00 a Drain C. W.

80.00 Set post, cor. to sec. 27, 28, 33 & 34,
a Beech 18 in. diam. bears S 41 W. 27 lb. dist.
a Dr. 24 " " " S 36 E. 51 " "
Sim. Beech, Sugar, Ash, Elm,
and Oak.

East On Random Bdy. sec. 27 & 34.

17.50 a Branch 10 lb. wide C. N.

40.00 set temporary gr. sec. post.

71.00 a Drain C. N.

80.00 Intersect N. & S. line at post.
Sim. Beech, Sugar, Ash, Elm, Oak &c.

West Correct line Bdy. sec. 27 & 34.

40.00 Set gr. sec. post, from which
an Ash 20 in. dia. bears N 62 E. 15 lb. dist.
a Beech 10 " " " S 31 E. 10 " "
80.00 Set cor.
Sim. Beech, Sugar, Ash, Elm &c.

S. 20 N. No. 13 E. 2nd Mer. Ind. a

Ch. 20 N.

West Between Sec. 28 & 23.

15.50 300 Swamp.

34.00 an Ash 30 in. diam.

40.00 set gr. sec. post, from which
a Crh. Oak 40 in. dia. bears S 80 E. 37th dist.
a Beech 22 " " " N 63 E. 53 " "

" " Post in west boundary.

Timber, Beech, Sugar, Ash & Oak.

North Between Sections 27 & 28.

22.20 a Sugar 24 in. diam.

40.00 set gr. sec. post, from which
a Sugar 4 in. dia. bears N 45 E. 13th dist. &
a Buckeye 10 in. " " S E. 27 " "

51.20 a Sugar 22 " diam.

68.00 a Branch 40 lb. wide E. N. W.

80.00 set post Cor. to Sec. 21, 22, 27 & 28,
an Ash 30 in. dia. bears N 29 E. 25th dist.
a Beech 10 " " " S 64 W. 18 " "
Timb. Beech, Sugar, Ash, & Oak.

West Between Sections 21 & 28.

4.50 a Branch 40 lb. wide E. N.

24.00 20 post in W. boundary of Red. fr. wh.
a Beech 20 in. dia. bears S 47 E. 18th dist.

a Do. 18 " " " N 71 E. 41 " "

Land Timbered with Beech, Sugar,
Ash, & Oak.

East On Random Betth Sec. 22 & 27.

40.00 set temporary gr. sec. post.

65.50 a Branch 15 lb. wide Course N.

79.78 Intersect E. bdy. 20 lb. N. of post.
Timb. Beech, Sugar, Ash & Oak &c.

West Correct line Betth Sec. 22 & 27.

S.D.O.N. No. 13 E. 2nd Mer. Ind.?

Ch. Gk.

- 39.89 Set gr. sec. post, from which
a Sugar 14 in. dia. bears 463 E. 7 lb. wt.
a Beech 14 " " " 585 W 37 " "
- 79.78 sec. cor.

North Between sec. 22 & 27.

- 10.70 a Drain crs. W.
- 18.50 an Ash 24 in. diam.?
- 40.00 Set gr. sec. post, from wh.
a Beech 21 in. dia. bears 457 W. 16 lb. wt.
a Do. 24 " " " 148 E. 35 " wt.
- 64.40 a Beech 20 " "
- 73.00 a Beech 100 lb. wide N.W.
- 76.20 same c. N.E.
- 80.00 Set post cor. to sec. 15, 16, 21 & 22, from
a Buckeye 18 in. dia. bears 110 E. 14 lb. wt.
a Sugar 16 " " " 76 W. 19 " "
Timber, Beech, Sugar Ash &
Buckeye &c.

West Between sec. 16 & 21.

- 7.55 Co. post in the W. line (Reserve)
& set post, from which
a Beech 20 in. dia. bears 140 E. 23 lb. wt.
a Wh. Oak 14 " " " 110 E. 33 " wt.
Land - Bottom

North Between sec. 15 & 16.

- 4.70 a Beech 100 lb. wide c. W.
- 34.90 Co Post in the W. line, fr. wh.
a Beech 10 in. dia. bears 49 E. 11 lb. wt.
a Do. 13 " " " 165 E. 24 " "
Timb. Beech, Ash, Sugar &
Whiskey &c.

East On Meander Betth sec. 15 & 22.

S. 20 N. W. 13 E. 2nd Men. Ind.^a
 Ch. 9/10?

5.00 a creek 125 ft. wide —
 40.00 set temp. sy. gr. sec. post.
 80.00 Intersect N. & E. line 10 ft. S. of post.
 Pin. Beech, Lign., Ash Walnut.

West correct line Betⁿ sec. 15 & 22.

set gr. sec. post. from which
 a Beech 18 in. dia. bears N 74 E. 14 ft. dist.
 a do. 20 " " " N 45 W. 14 " "
 80.00 sec. loc.

West Between sec. 10 & 15.

6.20 a Wh. Oak 16 in. diam.
 7.00 a swamp 200 ft. wide
 40.00 set gr. sec. post. from which
 a Hickory 18 in. dia. bears S 17 E. 4 ft. dist.
 a Beech 12 " " " N 40 E. 11 " "
 69.23 To post in Indian Res. fr. wh.
 a Beech 18 in. dia. bears S 13 E. 18 ft. dist. &
 an Ash 16 " " " S 8 W. 20 " "
 Land

West Between sec. 3 & 10.

10.40 an Ash 20 in. diam.
 40.00 set gr. sec. post. from which
 an Ash 22 in. dia. bears N 48 W. 7 ft. dist.
 an Elm 10 " " " S 52 E. 29 " "
 53.68 To Post in West line fr. wh.
 an Elm 22 in. dia. S 10 E. 40 ft. dist. &
 a Beech 33 " " bears N 72 E. 22 " "
 Feb. 16th 1811. Land,
 Surveyed by Jacob Fowler, Jr.

Subdivisions. —
 In New Purchase —
 from old Indian Bdy. Mar. 6th 1818.

S. 20 N. R. 13 E. 2nd Apr. Ind. a

Ch. H.

North Between sections 32 & 33.

6.07 a R. Oak 36 in. diam.

40.00 set gr. sec. post, fr. which
a Beech 14 in. dia. bears S 57 W. 10 ft. &
a Do. 14 " " " S 7 W. 19 " dist.

51.35 a Sugar 22 " "

80.00 set post Cor. to sec. 28, 29, 32 & 33,
a Sugar 22 in. dia. bears N 32 W. 27 ft. &
a Do. 36 " " " S 83 E. 13 " dist.
Land, Rolling and 2nd rate. Tim.
Beech, Ash, Sugar, Oak &c.
and. 8th. Spruce & Dogwood.

East On Random Between sec. 28 & 33.

1.30 a stream 15 ft. wide e. N.

37.90 Intersect Old Indian Boundary at the
corner - corrected West.

North Between Sec. 28 & 29.

2.82 an Ash 14 in. diam.

12.00 a stream 20 ft. wide e. N. W.

40.00 set gr. sec. post, from which
an Elm 11 in. dia. bears N 16 W. 15 ft. &
a Do. 15 " " " S 60 E. 35 ft. dist.

43.40 a Beech 18 " "

62.21 an Ash 12 " "

80.00 set post Cor. to sec. 20, 21, 28 & 29,
a Beech 21 in. dia. bears S 68 W. 21 ft. dist. &
a Do. 10 " " " S 42 E. 17 " "
Land, level good sec. rate. Tim.
Beech, Ash, Sugar &c. and. Spruce.

East On Random Between sec. 21 & 28.

40.00 set temp. gr. sec. post.

54.74 Intersect Indian Boundary 78 ft. S. of lat
at the old corner.

85

T20 N. R. 13 E. 2nd Mer. Ind. a

Ch. 9th.

West correct line Bet^{wn} Sec. 21 & 28.

14.74 set gr. sec. post, from which
a Beech 7 in. dia. bears N 77 E, 18 lb. dist.
a Do. 24 " " " 40 W, 30 " "

54.74 Sec. cor.

North Between Sec. 20 & 21.

30.55 a Hickory 13 in. diam.

40.00 set gr. sec. post, from which
a Beech 14 in. dia. bears N 13 W, 11 lb. dist.
a Do. 15 " " " 28 E, 11 " "

48.29 a Beech 18 " "

80.00 set post cor. to Sec. 16, 17, 20 & 21. fr. wh.
an Ironwood 5 in. dia. bears N 35 E, 12 lb. dist.
a Sugar 16 in. dia. bears S 7 W, 31 " "
Land, level 2nd rate. Timber. Bad
Sugar. and 8th. Spice & Sugar.

East An Wandou Between Sections 16 & 21.

21.00 a stream 10 lb. wide e. N.

40.00 set tempy. gr. sec. post.

71.60 Intersect the boundary of Indian Reserve
at old corner.
Land & Limb. as before.

West correct line Bet^{wn} Sections 16 & 21.

31.60 set gr. sec. post, from which
a Sugar 20 in. dia. bears S 34 W, 3 lb. dist.
an Elm 24 " " " 55 E, 15 " "

71.60 Sec. cor. Oct. 10th 1821.

North Between Sec. 16 & 17.

13.00 To Wh. River 60 lb. wide e. N. W.

20.18 an Ash 14 in. dia.

40.00 set gr. sec. post, from which
a Beech 12 in. dia. bears S 69 W, 28 lb. dist.

T. 20 N. R. 13 E. 2nd Mer. Ind.
Ch. M.

8000 a Beech 12 in. dia. bears N 3 E, 23rd M. dist. &
set post Cor. to sec. 8, 9, 16 & 17, fr. wh.
a Beech 14 in. dia. bears S 70 W. 12th M. dist. &
a Do. 14 " " " S 65 E, 23 " "
Land, level & 2nd rate. Linn.
Beech, Ash, Hickory Oak &c. Wood.
Jth. of Spice, Dogwood &c.

East On Random Bet^{wn} sec. 9 & 16.
4000 set temp^{ly}. gr. sec. post.
79.40 Intersect E. line of sec. at post.
Land, level. Linn. as before.

West - Correct line Bet^{wn} sec. 9 & 16. { a Sugar 12 N 78 E, 29 &
39.70 set gr. sec. post, fr. wh. { a Beech 15 S 5 W, 87 M.
79.40 Sec. Cor.

North Between sec. 15 & 16.

2.60 set gr. sec. post, fr. wh.
a Beech 18 in. dia. bears S 8 W, 27th M. dist. &
a Do. 33 " " " N 18 E, 15 " "
39.75 a Do. 20 " "
42.60 set post Cor. to sec. 9, 10, 15 & 16, fr. wh.
a Beech 16 in. dia. bears N 62 W, 27th M. dist. &
a Do. 12 " " " S 85 E, 23 " "
Land & Linn. as before.

East On Random Between sec. 10 & 15.

9.03 Intersected Indian Boundary at an old
corner, in part obliterated also found a
corner about 3 ch. North of intersection
neither of them agreeing with the original
notes, therefore established corner to
sections 10 & 15. & set post, from which
a Beech 8 in. diam. bears N 49 W, 30th M. dist.
a Do. 7 " " " S 49 W, 27 " "
Land, none

North Between sec. 9 & 10.

87

S. 20 N. N. 13 E. 2nd Mer. Ind. a

2.40 am Ash 12 in. diam.

40.00 set gr. sec. post, from which
a Beech 8 in. dia. bears N 69 E, 21 M. dist.
a Do. 10 " " " 88 W. 12 " "

76.88 a Beech 13 " "

80.00 set post Cor. to Sect. 3, 4, 9 & 10, fr. wh.
a Beech 16 in. diam. bears S 10 E, 27 M. dist.
a Do. 12 " " " S 50 W. 9 " " in
Land, level 2nd rate. Timber, Beech,
Ash, Sugar, Hickory & Oak. - Spice &c.

East On random between Sect. 3 & 10.

26.92 Intersect Old Indian boundary 31 M. E. of
old corner and at an obliterated corner.
which correct west. Land &c. same.

North Between Sections 3 & 4.

9.20 a Hickory 20 in. diam.

40.00 set gr. sec. post, from which
a Beech 20 in. dia. bears N 16 E, 32 M. dist.
a Do. 20 " " " S 65 E, 15 " "

41.28 a Do. 20 " "

77.50 Intersect N. Boundary 153 M. N. of post
& set post Cor. of Sect. 3 & 4, fr. wh.
a Sugar 18 in. dia. bears S 57 W. 20 M. dist.
a Beech 20 " " " N 45 E, 25 " "
Land, level 2nd rate. Tim. Beech,
Ash, Sugar &c. and 8th. Spice
Dogwood &c.

North Between Sect. 8 & 9.

25.37 a Beech 10 in. diam.

40.00 set gr. sec. post, fr. wh.
a Beech 10 in. dia. bears N 71 E, 11 M. dist.
a Do. 10 " " " S 87 W. 12 " "

42.87 a Do. 10 " "

TOWN. No. 13 E. 2nd Mer. Ind. a
Ch. Sh.

80.00 set post cor. to sec. 4, 5, 8 & 9, fr. wh.
a Beech 18 in. dia. bears N 41 W, 35 lb. dist.
a Do. 19 " " " N 25 W, 17 " dist.
Land, level 2nd rate. Timber,
Beech, Ash, Hickory, Mun. Spruce &c.

East On Meander Between Sec. 4 & 9.

40.00 set temporary gr. sec. post.

80.00 intersect E. line of sec. 330 lb. north of
Post, Land &c, ~~~~~

West Correct line Between Sec. 4 & 9.

40.00 set gr. sec. post, from which
a Beech 18 in. dia. bears S 56 E, 18 lb. dist.
a Do. 6 " " " N 5 W, 17 " "

80.00 Sec. cor.

North Between Sec. 4 & 5.

9.58 a Hickory 24 in. diam.

40.00 set gr. sec. post, from which
a Sugar 20 in. dia. bears N 40 E, 31 lb. dist.
a Do. 14 " " " N 49 W, 20 " "

40.50 a Sugar 20 " "

73.11 intersect N. Boundary. 280 lb. N. of post.
& set post cor. to sec. 4 & 5. fr. wh.
a Beech 15 in. dia. bears S 29 E, 33 lb. dist.
a Do. 10 " " " N 39 W, 23 " "
Land & Timber as before.
Thursday Oct. 11th 1821.

North Between Sec. 31 & 32.

5.00 a stream 20 lb. wide c. N. W.

7.00 a Do. 25 " " c. N. E.

13.50 a Do. 35 " " c. N. W.

40.00 set gr. sec. post, from which
an Ash 14 in. dia. bears N 52 E, 17 lb. dist.

89

S. 90 N. Tl. 13 E. 2nd Mer. Ind. a

Ch. 2nd

a Beech 8 in. dia. bears N 53 W, 20 bl. dist.
54.07 an Ash 14 " "
80.00 set post cor. to sec. 29, 30, 31 & 32, fr. wh.
a Beech 12 in. dia. bears S 39 W, 16 bl. dist. &
a Do. 20 " " " N 60 E, 22 " "
Land, level 2nd, aote. Limb: Beech,
Ash, Wnd. 5th. spire &c.

East An Random Between sec. 29 & 32.
40.00 set temporary gr. sec. post.
79.89 Intersect E. Boundary 60 bl. N. of post.
Land & Limb. as before.

West correct line Between sec. 29 & 32.
39.94 set gr. sec. post, from which
a Beech 18 in. dia. bears N 55 E, 22 bl. dist.
a Do. 14 " " " S 77 E, 24 " "
79.89 see cor.

West Between sections 30 & 31.
9.27 a Beech 18 in. diam.
40.00 set gr. sec. post, from which
a Beech 18 in. diam. bears N 26 W, 15 bl. dist. &
a Do. 12 " " " S 71 E, 21 " "
67.80 a Sugar 20 in. diam.
71.06 Intersect W. Boundary. 10 bl. N. of post
& set post cor. to sec. 30 & 31, fr. wh.
a Wh. Oak 40 in. dia. bears N 21 E, 3 bl. dist.
an Ironwood 6 " " " S 15 E, 31 " "
Land, not noted.

North Between sec. 29 & 31.
36.44 a Hickory 24 in. dia.
40.00 set gr. sec. post, fr. wh.
a Beech 20 in. dia. bears N 36 E, 11 bl. dist. &
a Bl. Oak 12 " " " S 23 W, 12 " "

90 S. 20 N. N. 13 E. 2nd Mer. Ind. a

Ch. 4th

56.48 a Beech 12 in. diam.

80.00 Set post Cor. to sec. 19, 20, 29 & 30, from which
a Beech 18 in. dia. bears N 8 E. 39 lb. dist.

a Do. 10 " " " N 25 W. 22 " "

Land level good 2nd rate, Liv. —

Beech, Sugar, Hickory. W. 3th. Spruce.

East On Meander Between sec. 20 & 29.

31.50 a stream 14 lb. wide E. N. W.

40.00 Set tempy. gr. sec. post.

80.04 Intersect the E. line 40 lb. N. of post.
Land & Limb. the same.

West Correct line Between sec. 20 & 29.

40.02 Set gr. sec. post, from which
an Ash 20 in. dia. bears S 67 W. 15 lb. dist.

a Sugar 28 " " " S 84 E. 22 " "

80.04 sec. cor.

West Between sec. 19 & 30.

80.02 a Hickory 18 in. diam.

40.00 Set gr. sec. post, from which
an Elm 14 in. dia. bears N 56 E. 23 lb. dist.
a Do. 10 " " " S 31 W. 12 " "

53.23 a Beech 8 " "

69.89 Intersect W. Boundary 120 lb. N. of post.
& set post Cor. to sec. 19 & 30, from which
a Beech 18 in. dia. bears S 53 E. 5 lb. dist.
an Ash 20 " " " S 60 W. 23 " "
Land —

North Between sec. 19 & 30.

11.04 a Sugar 14 in. diam.

23.60 a stream 20 lb. wide E. N. W.

40.00 Set gr. sec. post, from which
a Beech 30 in. dia. bears S 87 W. 10 lb. dist.

T. 20 N. R. 13 E. 2nd Mer Ind. ⁹¹

Ch. H. a Beech 9 in. dia. bears N 31 E. 24 lb. dist. 1
 45.60 To White River 55 lb. wide course S. W.
 53.23 a Buckeye 10 in. dia.
 80.00 Set post Cor. to sec. 17, 18, 19 & 20, fr. wh.
 a Hickory 8 in. dia. bears S 72 W. 26 lb. dist.
 a Buckeye 15 " " " N 42 E. 54 " "
 Land, 1st rate. Spruce, Beech, Sugar
 Ash &c. and. 8th. Spruce &c.

East On Random Betⁿ sec. 17 & 20.
 40.00 Set temporary gr. sec. post.
 63.00 To White River 55 lb. wide c. S. W.
 79.72 Intended 75 lb. N. of post the E. line
 of sec. 12th 1821. Land,

West Correct line Betⁿ sec. 17 & 20.
 39.86 Set gr. sec. post, from which
 an Ash 20 in. dia. bears S 23 W. 24 lb. dist.
 a Beech 20 " " " S 65 E. 33 " "
 79.72 sec. line.

West Between sections 18 & 19.
 11.00 a stream 4 lb. wide c. S.
 40.00 Set gr. sec. post, from which
 a Beech 10 in. dia. bears N 30 W. 19 lb. dist.
 a Do. 10 " " " S 25 E. 9 " "
 60.80 an Elm 18 " "
 65.00 a stream 10 lb. wide c. S. W.
 71.24 Intended W. Boundary 16 lb. N. of post.
 & set post Cor. to sec. 18 & 19. fr. wh.
 an Ironwood 8 in. dia. bears S 6 E. 10 lb. dist.
 a Beech 10 in. dia. bears N 11 E. 31 " "
 Land,

North Between sec. 17 & 18.
 2.20 a sugar 18 in. diam.

92 S. 90 N. N. 13 E. 2nd Men. Ind^a.

Ch. 7th.

40.00 Set gr. sec. post. from which
a Beech 14 in. dia. bears N 26 W. 15 lb. dist.
a Do. 15 " " " N 76 E. 23 " " "

78.33 a Chickory 20 " "

80.00 Set post Cor. to sec. 7, 18, 17 & 8, fr. wh.
a Beech 10 in. dia. bears S 32 E. 8 lb. dist.
a Chickory 18 " " " N 29 E. 23 " "
Land level & 2nd rate. Limb. Ash
Beech, Chickory, Sugar, Oak &c.
Und. 8th. Spice & Dogwood.

East An Random Between sec. 8 & 17.

40.00 Set tempy. gr. sec. post.

80.00 Intersect N. & S. line 137 lb. N. of post.
Land & Limb. as before.

West Correct line Between sec. 8 & 17.

40.00 Set gr. sec. post. from which
a Sugar 15 in. dia. bears S 88 E. 12 lb. dist.
a Beech 10 " " " N 22 E. 17 " "

80.00 Sec. cor.

West Between sections 7 & 18.

40.00 Set gr. sec. post. from which
a Chickory 20 in. dia. bears S 5 E. 3 lb. dist.
a Wh. Oak 10 " " " N 48 E. 33 " "

69.72 Intersect W. Bdy. 52 lb. N. of post &
set post Cor. to sec. 7 & 18, fr. wh.
an Ash 24 in. dia. bears S 76 W. 6 lb. dist.
a Beech 14 " " " N 25 W. 7 " "
Land level & 2nd rate Limb. same.

North Between sec. 7 & 8.

4.30 a Beech 12 in. diam.

40.00 Set gr. sec. post. fr. which
a Beech 18 in. dia. bears N 76 W. 25 lb. dist.
a Do. 8 " " " S 62 E. 3 lb. dist.

93

S. 20 N. R. 13 E. 2nd Mer. Ind. a

Ch. Lk.

42.23 a Beech 18 in. diam.

80.00 Set a sec. post cor. to sec. 5, 6, 7 & 8
Land, level 2nd rate. Limb. Ash,
Whitney &c. Mud. Spice, Oak &c, &c.

East On Random between sections 5 & 8.

40.00 Set temporary. gr. sec. post.

79.00 Intersect N. & E. line 150 lbs. N. of Post
Land, level & 2nd rate. Lim.
Beech, Ash, Whitney &c. — Spice &c.

West correct line Between Sec. 5 & 8.

39.50 Set gr. sec. post, from which
an Beech 24 in. dia. bears N 47 E. 25 lbs. dist. &
a Sugar 12 " " " S 2 W. 8 " "

79.00 sec. cor.

69.80 Intersect ~~W~~ ~~~~~

West Between sections 6 & 7.

38.46 a Beech 15 in. diam.

40.00 Set gr. sec. post, from which
an Elm 20 in dia. bears N 71 E. 8 lbs. dist. &
a Do. 15 " " " S 42 W. 3 " "

60.23 a Whitney 28 " "

69.80 Intersect W. Boundary 173 lbs. N. of post
& set post cor. to sec. 6 & 7, fr. wh.
an Elm 11 in. dia. bears South 8 lbs. dist. &
an Ash 6 " " " N 74 E. 26 " "
Land, level 2nd rate. Limb. —
Beech, Oak, Whitney. Mud. gth. Spice
Ash &c.

North Between sections 5 & 6.

40.00 Set gr. sec. post, from which
a Beech 16 in. diam. bears S 35 W. 27 lbs. dist.
a Sugar 18 " " " S 36 E. 29 " "

S. 20 N. R. 13 E. 2nd Mer. Ind.?

Ch. 4th

51.10 a Sugar 24 in. diam.

71. 69 Intended North Boundary 160 M. West
of post & set post Cor. to sec. 5 & 6.
a Beech 16 in. dia. bears S 68 E, 48 M. dist.
a Do. 14 " " " S 21 W. 54 " "

Land level 2nd rate. Lint.

Beech, Ash, Hickory. Und. Jth. of Spruce
Beech, Dogwood &c.

Oct. 13th 1821.

Surveyed By.

John Hendricky, D.S.

95

T. 20 N. R. 13 E. 2nd Mer. Ind. a

Ch. 20.

I certify that the foregoing transcripts
of the field notes of Township N.
20 North in Range 13 East, has been
compared with the original in this
office, and found to be correct.

Surveyor General's Office
Saginaw, Mich. 14th 1845.

William Johnston
Sur. Genl.